


1 GRILLE - DOWELED SECTION DETAIL


3" = 1'-0"



ISOMETRIC



ELEVATION




2 DOWEL CLIP (FOR 15/16" H.D. T-GRID)


6" = 1'-0"

3 12 INCH BLACK DOWEL


3" = 1'-0"



SOLID WOOD RAIL



SOLID WOOD RAIL




VENEERED RAIL


CUSTOM PROFILES AVAILABLE
UPON REQUEST

1 TYPICAL RAIL PROFILES


6" = 1'-0"




SOLID WOOD
6 RAIL/FT.
2" SPACING O.C.



VENEERED
6 RAIL/FT.
2" SPACING O.C.



SOLID WOOD
8 RAIL/FT.
1 1/2" SPACING O.C.



VENEERED
8 RAIL/FT.
1 1/2" SPACING O.C.

2 TYPICAL 12 INCH MODULES

3" = 1'-0"

GRILLE-DOWELED SYSTEM - TYPICAL PROFILE OPTIONS


SHEET NUMBER

2

SCALE: AS NOTED

LAST REVISED: 1/2/2019

DRAWN BY: BMH



1 CEILING ISOMETRIC - TYP.
1 1/2" = 1'-0"

FIELD CUT
MITERS TYP.

KERFED TRIM

BLACK DOWEL

DOWEL CLIP

$\frac{15}{16}$ " H.D. T-GRID
MAINS (BY OTHER)

2



3

1

CLOUD VERTICAL TRIM PLAN

1 1/2" = 1'-0"

** ALL FIELD CUTS TO ALLOW FOR $\frac{1}{4}$ " MIN
REVEAL FOR EXPANSION & CONTRACTION



2

TRIM @ EDGE - FRONT SECTION


3" = 1'-0"

3


TRIM @ EDGE - SIDE SECTION

3" = 1'-0"


** ALL FIELD CUTS TO ALLOW FOR $\frac{1}{4}$ " MIN
REVEAL FOR EXPANSION & CONTRACTION




1 FLOATING @ WALL - FRONT SECTION
3" = 1'-0"




2 FLOATING @ WALL - SIDE SECTION
3" = 1'-0"




3 WALL ANGLE - FRONT SECTION
3" = 1'-0"



4 WALL ANGLE - SIDE SECTION
3" = 1'-0"



1 SPRINKLER HEAD DETAIL - PLAN VIEW
1 1/2" = 1'-0"




2 SPRINKLER HEAD DETAIL - SECTION VIEW
1 1/2" = 1'-0"

15¹/₁₆" H.D. T-GRID
MAINS (BY OTHER)

INDEPENDENTLY
SUPPORTED CAN LIGHT
(FIELD CUT PENETRATION)

BLACK DOWEL

DOWEL CLIP



2

1 CAN LIGHT DETAIL - PLAN VIEW

1 1/2" = 1'-0"

SUSPENSION (BY OTHER)


15¹/₁₆" H.D. T-GRID (BY OTHER)

DOWEL CLIP

FIELD CUT
PENETRATION

INDEPENDENTLY
SUPPORTED CAN LIGHT
(BY OTHER)

TRIM RING
(BY OTHER)



2 CAN LIGHT DETAIL - SECTION VIEW

1 1/2" = 1'-0"

GRILLE-DOWELED (CEILING SYSTEM) - CAN LIGHT DETAILS


SHEET NUMBER

7


SCALE: AS NOTED

LAST REVISED: 1/2/2019


DRAWN BY: BMH




1 PENDANT LIGHT DETAIL - PLAN VIEW
1 1/2" = 1'-0"



2 PENDANT LIGHT DETAIL - SECTION VIEW
1 1/2" = 1'-0"



1 RECESSED SPEAKER DETAIL - PLAN VIEW
1 1/2" = 1'-0"




2 RECESSED SPEAKER DETAIL - SECTION VIEW
1 1/2" = 1'-0"

15/16" H.D. T-GRID
MAINS (BY OTHER)

INDEPENDENTLY
SUPPORTED DIFFUSER
(FIELD CUT PENETRATION)

DOWEL CLIP



2

1

DIFFUSER DETAIL - PLAN VIEW


1 1/2" = 1'-0"

SUSPENSION (BY OTHER)

15/16" H.D. T-GRID (BY OTHER)

DOWEL CLIP

FIELD CUT
PENETRATION



INDEPENDENTLY
SUPPORTED DIFFUSER
(BY OTHER)

2

DIFFUSER DETAIL - SECTION VIEW

1 1/2" = 1'-0"

GRILLE-DOWELED (CEILING SYSTEM) - DIFFUSER DETAILS

SHEET NUMBER

10

SCALE: AS NOTED

LAST REVISED: 1/2/2019

DRAWN BY: BMH

INDEPENDENTLY SUPPORTED
LINEAR LIGHT: FIELD CUT
PENETRATION

$\frac{15}{16}$ " H.D. T-GRID
MAINS (BY OTHER)

BLACK DOWEL

DOWEL CLIP

2

1

LINEAR LIGHT DETAIL - PLAN VIEW

1" = 1'-0"

SUSPENSION
(BY OTHER)

$\frac{15}{16}$ " H.D.
T-GRID (BY
OTHER)

DOWEL CLIP

FIELD CUT PENETRATION

INDEPENDENTLY SUPPORTED
LINEAR LIGHT: FIELD CUT
PENETRATION

2

LINEAR LIGHT DETAIL - SECTION VIEW

1 1/2" = 1'-0"

ACOUSTICAL BACKER

TYP. WALL
ASSEMBLY (BY
OTHER)

FURRING (BY OTHER) TO
MATCH ACOUSTICAL
BACKER THICKNESS:
PAINTED BLACK IN FIELD

BLACK DOWEL

2" SCREW (BY
OTHER) TYP.

1/2" REVEAL FOR
EXPANSION &
CONTRACTION

16 GA. FINISH NAIL
(BY OTHER)

TRIM (OPTIONAL) TO
COINCIDE W/ FURRING
THICKNESS; FACE
NAILED & PUTTIED IN
FIELD

NOTE: 24" MAXIMUM SCREW/SUPPORT SPACING

1

HORIZONTAL WALL ISOMETRIC - TYP.

1 1/2" = 1'-0"

TYP. WALL
ASSEMBLY (BY
OTHER)

1" ACOUSTICAL BACKER IN BETWEEN
FURRING (2" AVAILABLE)

$\frac{3}{4}$ " TRIM FASTENED W/
FINISH NAIL AND PUTTIED
IN FIELD BY OTHER

$\frac{1}{2}$ " MIN. REVEAL

FURRING (BY OTHER) TO MATCH
ACOUSTICAL BACKER THICKNESS:
PAINTED BLACK IN FIELD

2

1

HORIZONTAL WALL PLAN @ TRIM

3" = 1'-0"

BLACK DOWEL
ATTACHED TO
FURRING

$\frac{1}{2}$ " MIN. REVEAL

$\frac{3}{4}$ " TRIM FASTENED W/
FINISH NAIL AND PUTTIED
IN FIELD BY OTHER

GRILLE RAIL

2

HORIZONTAL WALL ELEVATION @ TRIM

3" = 1'-0"

BLACK DOWEL ATTACHED TO FURRING

GRILLE RAIL

FURRING (BY OTHER) TO
MATCH ACOUSTICAL BACKER
THICKNESS: PAINTED BLACK
IN FIELD

BASE AS SCHEDULED (BY OTHER)

2

1

HORIZONTAL WALL ELEVATION @ BASEBOARD

3" = 1'-0"

TYP. WALL ASSEMBLY (BY OTHER)

FURRING (BY OTHER) TO MATCH
ACOUSTICAL BACKER THICKNESS:
PAINTED BLACK IN FIELD

1" ACOUSTICAL BACKER IN BETWEEN FURRING
(2" AVAILABLE)

BASE AS SCHEDULED (BY OTHER)

2

HORIZONTAL WALL SECTION @ BASEBOARD


3" = 1'-0"

FURRING (BY OTHER) TO MATCH
ACOUSTICAL BACKER THICKNESS:
PAINTED BLACK IN FIELD

OUTLET PENETRATION FIELD CUT

GRILLE RAIL

BLACK DOWEL ATTACHED TO FURRING



1 HORIZONTAL WALL ELEVATION @ OUTLET

3" = 1'-0"


GRILLE RAIL

1" ACOUSTICAL BACKER (2" AVAILABLE)

LIGHT SWITCH PENETRATION FIELD CUT

TYP. WALL SYSTEM (BY OTHER)

BLACK DOWEL ATTACHED TO FURRING



2 HORIZONTAL WALL SECTION @ OUTLET

3" = 1'-0"

GRILLE-DOWELED (HORIZONTAL WALL SYSTEM) - OUTLET DETAILS

SCALE: AS NOTED

LAST REVISED: 1/2/2019

SHEET NUMBER

15


DRAWN BY: BMH

FURRING (BY OTHER) TO MATCH
ACOUSTICAL BACKER THICKNESS:
PAINTED BLACK IN FIELD

LIGHT SWITCH PENETRATION FIELD CUT

GRILLE RAIL

BLACK DOWEL ATTACHED TO FURRING



1 HORIZONTAL WALL ELEVATION @ LIGHT SWITCH

3" = 1'-0"


GRILLE RAIL

1" ACOUSTICAL BACKER
(2" AVAILABLE)

LIGHT SWITCH PENETRATION FIELD CUT

TYP. WALL SYSTEM (BY OTHER)

BLACK DOWEL ATTACHED TO FURRING



2 HORIZONTAL WALL SECTION @ LIGHT SWITCH

3" = 1'-0"

BLACK DOWEL

TYP. WALL
ASSEMBLY (BY
OTHER)


FURRING (BY OTHER) TO
MATCH ACOUSTICAL
BACKER THICKNESS:
PAINTED BLACK IN FIELD

2" SCREW (BY
OTHER) TYP.

ACOUSTICAL BACKER

16 GA. FINISH NAIL
(BY OTHER)

TRIM (OPTIONAL) TO
COINCIDE W/ FURRING
THICKNESS; FACE
NAILED & PUTTIED IN
FIELD



1

VERTICAL WALL ISOMETRIC - TYP.

1 1/2" = 1'-0"

TYP. WALL
ASSEMBLY (BY
OTHER)

1" ACOUSTICAL BACKER IN BETWEEN
FURRING (2" AVAILABLE)

$\frac{3}{4}$ " TRIM FASTENED W/
FINISH NAIL AND PUTTIED
IN FIELD BY OTHER

FURRING (BY OTHER) TO MATCH
ACOUSTICAL BACKER THICKNESS:
PAINTED BLACK IN FIELD



1 VERTICAL WALL PLAN @ TRIM

3" = 1'-0"

BLACK DOWEL
ATTACHED TO
FURRING

$\frac{3}{4}$ " TRIM FASTENED W/
FINISH NAIL AND PUTTIED
IN FIELD BY OTHER

GRILLE RAIL

2 VERTICAL WALL ELEVATION @ TRIM

3" = 1'-0"

GRILLE RAIL

BLACK DOWEL ATTACHED TO FURRING

FURRING (BY OTHER) TO
MATCH ACOUSTICAL BACKER
THICKNESS: PAINTED BLACK
IN FIELD

$\frac{1}{2}$ " MIN. REVEAL

BASE AS SCHEDULED (BY OTHER)

2

1

VERTICAL WALL ELEVATION @ BASEBOARD

3" = 1'-0"

TYP. WALL ASSEMBLY (BY OTHER)

FURRING (BY OTHER) TO MATCH
ACOUSTICAL BACKER THICKNESS:
PAINTED BLACK IN FIELD

BLACK DOWEL ATTACHED TO FURRING

1" ACOUSTICAL BACKER IN BETWEEN FURRING
(2" AVAILABLE)

BASE AS SCHEDULED (BY OTHER)

2

VERTICAL WALL SECTION @ BASEBOARD

3" = 1'-0"

FURRING (BY OTHER) TO MATCH
ACOUSTICAL BACKER THICKNESS:
PAINTED BLACK IN FIELD

BLACK DOWEL ATTACHED TO FURRING

OUTLET PENETRATION FIELD CUT

GRILLE RAIL

2

1 VERTICAL WALL ELEVATION @ OUTLET

3" = 1'-0"

TYP. WALL SYSTEM (BY OTHER)

GRILLE RAIL

BLACK DOWEL ATTACHED TO FURRING

LIGHT SWITCH PENETRATION FIELD CUT

1" ACOUSTICAL BACKER (2" AVAILABLE)

2 VERTICAL WALL SECTION @ OUTLET

3" = 1'-0"

GRILLE-DOWELED (VERTICAL WALL SYSTEM) - OUTLET DETAILS

SHEET NUMBER

20

DRAWN BY: BMH

SCALE: AS NOTED

LAST REVISED: 1/2/2019

DO NOT SCALE DRAWING. FIGURED DIMENSIONS ARE TO BE FOLLOWED. READ THIS DRAWING IN CONNECTION WITH GENERAL ARCHITECTURAL PLANS, STRUCTURAL PLANS, AND OTHER RELATED DRAWINGS. THESE DRAWINGS REPRESENT ASI'S UNDERSTANDING AND INTERPRETATION OF THE ARCHITECTURAL DRAWINGS AND HOW ASI PRODUCTS RELATE TO THE PROJECT. COPYRIGHT ASI © 2019


2

FURRING (BY OTHER) TO MATCH
ACOUSTICAL BACKER THICKNESS:
PAINTED BLACK IN FIELD

BLACK DOWEL ATTACHED TO FURRING

LIGHT SWITCH PENETRATION FIELD CUT

GRILLE RAIL



1 VERTICAL WALL ELEVATION @ LIGHT SWITCH

3" = 1'-0"


TYP. WALL SYSTEM (BY OTHER)

GRILLE RAIL

BLACK DOWEL ATTACHED TO FURRING


LIGHT SWITCH PENETRATION FIELD CUT

1" ACOUSTICAL BACKER (2" AVAILABLE)




2 VERTICAL WALL SECTION @ LIGHT SWITCH

3" = 1'-0"




1 STEP 1
3" = 1'-0"



2 STEP 2
3" = 1'-0"

VENEER APPLIED TO
FIELD CUT END W/ HOT
MELT & IRON



FIELD FINISHED END (STAINED/
FINISHED IN FIELD)

3 STEP 3
3" = 1'-0"

NOTE: FOR SOLID WOOD RAILS,
NO VENEER NEEDS TO BE APPLIED
- INSTEAD, REFINISH THE CUT END
IN FIELD