




FUSION (LAY-IN PANELS) - TYPICAL SECTION

SHEET NUMBER

1






### FUSION (LAY-IN PANELS) -PERFORATION PATTERN OPTIONS (16MM)

LAST REVISED: 2/23/2022

DRAWN BY: BH

SHEET NUMBER






#### FUSION (LAY-IN PANELS) -PERFORATION PATTERN OPTIONS (32MM)

SCALE: 1'0" = 1'0" LAST REVISED: 2/23/2022

SHEET NUMBER

3

DRAWN BY: BH






FUSION (LAY-IN PANELS) - ISOMETRIC


SHEET NUMBER

4

- \* 1" ACOUSTICAL BACKER RECOMMENDED FOR USE WITH PERFORATED PANELS (2" AVAILABLE)
- \*\* ALL FIELD CUTS TO ALLOW FOR  $\frac{1}{2}$  " MIN REVEAL FOR EXPANSION & CONTRACTION



1 EDGE DETAIL 1
3" = 1'-0"








## FUSION (LAY-IN PANELS) - TYPICAL EDGE CONDITIONS

SHEET NUMBER

5






# FUSION (LAY-IN PANELS) - SPRINKLER HEAD DETAIL

SHEET NUMBER

6

DRAWN BY: BH






FUSION (LAY-IN PANELS) - CAN LIGHT DETAIL

SHEET NUMBER

DRAWN BY: BH






## FUSION (LAY-IN PANELS) - PENDANT LIGHT DETAIL

SHEET NUMBER

8

DRAWN BY: BH






## FUSION (LAY-IN PANELS) - RECESSED SPEAKER DETAIL

SHEET NUMBER

9

DRAWN BY: BH





## FUSION (LAY-IN PANELS) - DIFFUSER DETAIL

SHEET NUMBER

10

DRAWN BY: BH