


1

TYPICAL LINEAR SECTION DETAIL

6" = 1'-0"



2


LINEAR T-GRID CLIP

1' = 1'-0"

3


LINEAR DIRECT ATTACH CLIP

1' = 1'-0"




1 LINEAR REVEAL - REVEAL OPTIONS

6" = 1'-0"




2 LINEAR REVEAL (SOLID) - REVEAL OPTIONS


6" = 1'-0"



1 CEILING PATTERN RCP (OPTION 1 - CENTERED ON PLANK)
1/2" = 1'-0"



2 CEILING PATTERN RCP (OPTION 2 - CENTERED ON REVEAL)
1/2" = 1'-0"



1 CEILING ISOMETRIC
3" = 1'-0"

LINEAR REVEAL CEILING SYSTEM - ISOMETRIC

SCALE: AS NOTED


LAST REVISED: 8/7/2019

DO NOT SCALE DRAWING. FIGURED DIMENSIONS ARE TO BE FOLLOWED. READ THIS DRAWING IN CONNECTION WITH GENERAL ARCHITECTURAL PLANS, STRUCTURAL PLANS, AND OTHER RELATED DRAWINGS. THESE DRAWINGS REPRESENT ASI'S UNDERSTANDING AND INTERPRETATION OF THE ARCHITECTURAL DRAWINGS AND HOW ASI PRODUCTS RELATE TO THE PROJECT. COPYRIGHT ASI © 2019

SHEET NUMBER

4


DRAWN BY: BMH



1

TRIM @ MITERED CORNER - PLAN


1 1/2" = 1'-0"



2

TRIM DETAIL 1


3" = 1'-0"




3

TRIM DETAIL 2


3" = 1'-0"




1 EDGE DETAIL 1
3" = 1'-0"




2 EDGE DETAIL 2
3" = 1'-0"




3 EDGE DETAIL 3
3" = 1'-0"



4 EDGE DETAIL 4
3" = 1'-0"



1 EDGE DETAIL 5
3" = 1'-0"



2 EDGE DETAIL 6
3" = 1'-0"

$\frac{15}{16}$ " HEAVY DUTY
T-GRID (BY OTHER)
(2X4 LAYOUT TYP)

LINEAR PLANK

INDEPENDENTLY SUPPORTED
CUSTOMER FIXTURE: FIELD
CUT PENETRATION

IF PENETRATION EXCEEDS
 $\frac{2}{3}$ BOARD WIDTH, SUPPORT
BRACKETS ARE NEEDED
(BY OTHER)

LINEAR T-GRID CLIP

2

1 SPRINKLER HEAD DETAIL - PLAN VIEW

1 1/2" = 1'-0"

INDEPENDENTLY SUPPORTED
CUSTOMER FIXTURE: FIELD
CUT PENETRATION

LINEAR T-GRID CLIP

BLACK FELT FILLER STRIP

TRIM PLATE (BY OTHER)

SUSPENSION (BY OTHER)

$\frac{15}{16}$ " HEAVY DUTY
T-GRID (BY OTHER)
(2X4 LAYOUT TYP)

2 SPRINKLER HEAD DETAIL - SECTION VIEW

1 1/2" = 1'-0"

15/16" HEAVY DUTY
T-GRID (BY OTHER)
(2X4 LAYOUT TYP)

LINEAR PLANK

INDEPENDENTLY SUPPORTED
CUSTOMER FIXTURE: FIELD
CUT PENETRATION

IF PENETRATION EXCEEDS
3/4 BOARD WIDTH, SUPPORT
BRACKETS ARE NEEDED
(BY OTHER)

LINEAR T-GRID CLIP

2

1

CAN LIGHT DETAIL - PLAN VIEW

1 1/2" = 1'-0"

INDEPENDENTLY SUPPORTED
CUSTOMER FIXTURE: FIELD
CUT PENETRATION

LINEAR T-GRID CLIP

BLACK FELT FILLER STRIP

TRIM PLATE (BY OTHER)

SUSPENSION (BY OTHER)

15/16" HEAVY DUTY
T-GRID (BY OTHER)
(2X4 LAYOUT TYP)

2

CAN LIGHT DETAIL - SECTION VIEW

1 1/2" = 1'-0"

$\frac{15}{16}$ " HEAVY DUTY
T-GRID (BY OTHER)
(2X4 LAYOUT TYP)

LINEAR PLANK

INDEPENDENTLY SUPPORTED
CUSTOMER FIXTURE : FIELD
CUT PENETRATION

IF PENETRATION EXCEEDS
 $\frac{2}{3}$ BOARD WIDTH, SUPPORT
BRACKETS ARE NEEDED
(BY OTHER)

LINEAR T-GRID CLIP

2

1

PENDANT LIGHT DETAIL - PLAN VIEW

1 1/2" = 1'-0"

INDEPENDENTLY SUPPORTED
CUSTOMER FIXTURE: FIELD
CUT PENETRATION

LINEAR T-GRID CLIP

BLACK FELT FILLER STRIP

TRIM PLATE (BY OTHER)

SUSPENSION (BY OTHER)

$\frac{15}{16}$ " HEAVY DUTY
T-GRID (BY OTHER)
(2X4 LAYOUT TYP)

2

PENDANT LIGHT DETAIL - SECTION DETAIL

1 1/2" = 1'-0"


1 1/16" HEAVY DUTY
T-GRID (BY OTHER)
(2X4 LAYOUT TYP)

LINEAR PLANK

INDEPENDENTLY SUPPORTED
CUSTOMER FIXTURE: FIELD
CUT PENETRATION

IF PENETRATION EXCEEDS
2/3 BOARD WIDTH, SUPPORT
BRACKETS ARE NEEDED
(BY OTHER)

LINEAR T-GRID CLIP



2

1

RECESSED SPEAKER DETAIL - PLAN VIEW


1 1/2" = 1'-0"

INDEPENDENTLY SUPPORTED
CUSTOMER FIXTURE: FIELD
CUT PENETRATION

LINEAR T-GRID CLIP

BLACK FELT FILLER STRIP

TRIM PLATE (BY OTHER)




SUSPENSION (BY OTHER)

1 1/16" HEAVY DUTY
T-GRID (BY OTHER)
(2X4 LAYOUT TYP)


2

RECESSED SPEAKER DETAIL - SECTION VIEW

1 1/2" = 1'-0"



1 LINEAR LIGHT DETAIL - PLAN VIEW
1" = 1'-0"



2 LINEAR LIGHT DETAIL - SECTION VIEW
1 1/2" = 1'-0"

$\frac{15}{16}$ " HEAVY DUTY
T-GRID (BY OTHER)
(2X4 LAYOUT TYP)

LINEAR PLANK

INDEPENDENTLY SUPPORTED
CUSTOMER FIXTURE: FIELD
CUT PENETRATION

IF PENETRATION EXCEEDS $\frac{2}{3}$
BOARD WIDTH, SUPPORT
BRACKETS ARE NEEDED (BY
OTHER)

LINEAR T-GRID CLIP

2

1 LINEAR DIFFUSER DETAIL - PLAN VIEW

1 1/2" = 1'-0"

INDEPENDENTLY SUPPORTED
CUSTOMER FIXTURE: FIELD
CUT PENETRATION

LINEAR T-GRID CLIP

BLACK FELT FILLER STRIP


TRIM PLATE (BY OTHER)

SUSPENSION (BY OTHER)

$\frac{15}{16}$ " HEAVY DUTY
T-GRID (BY OTHER)
(2X4 LAYOUT TYP)


2 LINEAR DIFFUSER DETAIL - SECTION VIEW

1 1/2" = 1'-0"




1 ACCESS PANEL DETAIL

1 1/2" = 1'-0"




2 ACCESS PANEL SECTION

3" = 1'-0"



3 PANEL CLIP MODIFICATION INSTRUCTIONS

6" = 1'-0"



NOTES:
ACCESS CLIPS INSTALL THE SAME WAY AS STANDARD CLIPS

THE ACCESS CLIPS HAVE TWO PARTS THAT ALLOW THE BOTTOM PART (THE PART RECEIVED BY THE RABBIT IN THE LINEAR PLANK) TO SWIVEL AND DISENGAGE FROM THE RABBIT

CLIPS CAN BE TURNED WITH A STANDARD FLAT HEAD SCREWDRIVER FROM THE FLOOR SIDE


$\frac{3}{8}$ " MINIMUM REVEAL BETWEEN PLANKS FOR ACCESS CLIP OPERATION

DO NOT INSERT DOWELS INTO ACCESS PANEL PLANKS INTENDED TO BE REMOVED - BUTT JOINT MUST LAND ON GRID

ACCESS CLIPS ALLOW FOR SEAMLESS ACCESS, WHERE INDIVIDUAL PLANKS MAY BE REMOVED AS OPPOSED TO CONSTRUCTING AN ACCESS PANEL

1 ACCESS CLIP DETAIL

1' = 1'-0"



2 ACCESS CLIP INSTALL

6" = 1'-0"


FURRING (BY OTHER) TO
MATCH ACOUSTICAL
BACKER THICKNESS

BLACK FELT FILLER STRIPS

1" ACOUSTICAL BACKER
(2" AVAILABLE)

LINEAR DIRECT ATTACH CLIP
SCREWED TO FURRING

TYP. WALL ASSEMBLY
(BY OTHER)



1


HORIZONTAL WALL SECTION

3" = 1'-0"


2

DIRECT ATTACH CLIP

1" = 1'-0"



1 HORIZONTAL STAGGERED WALL PANEL - 16 INCH SPACING
1/2" = 1'-0"



2 HORIZONTAL STAGGERED WALL PANEL - 24 INCH SPACING
1/2" = 1'-0"

2" BUGLE HEAD
SCREW (BY OTHER)

LINEAR DIRECT ATTACHMENT CLIP

TYP. WALL ASSEMBLY (BY OTHER)

FURRING (BY OTHER) TO
MATCH ACOUSTICAL BACKER
THICKNESS

1" ACOUSTICAL BACKER
(2" AVAILABLE)

BLACK FELT
FILLER STRIP

16 GA. FINISH
NAIL (BY OTHER)

1 3/4" OR 2 3/4" (TO COINCIDE W/
FURRING THICKNESS) TRIM FASTENED
W/ FINISH NAIL (OPTIONAL)

ALL JOINTS
CENTERED
ON FRAMING

DOWEL AS
REQUIRED


1

HORIZONTAL WALL SYSTEM ISOMETRIC

1 1/2" = 1'-0"


TYP. WALL ASSEMBLY
(BY OTHER)

1" ACOUSTICAL BACKER (2" AVAILABLE)



1 HORIZONTAL WALL PLAN @ TRIM

3" = 1'-0"



2 HORIZONTAL WALL ELEVATION @ TRIM


3" = 1'-0"

LINEAR DIRECT ATTACH CLIP
SCREWED TO FURRING

FURRING (BY OTHER) TO
MATCH ACOUSTICAL
BACKER THICKNESS

1" ACOUSTICAL
BACKER (2"
AVAILABLE)



TYP. WALL SYSTEM
(BY OTHER)



1 VERTICAL WALL SECTION
3" = 1'-0"


2 DIRECT ATTACHMENT CLIP
1' = 1'-0"

NOTE: START PATTERN O.C. WITH REVEAL OR PLANK - WHICHEVER LEAVES THE LARGEST POSSIBLE BOARD WIDTH @ PERIMETER



1 VERTICAL WALL PATTERN 1
1/2" = 1'-0"

2 VERTICAL WALL PATTERN 2
1/2" = 1'-0"



1

VERTICAL WALL SYSTEM ISOMETRIC

1 1/2" = 1'-0"

FURRING (BY OTHER) TO MATCH
ACOUSTICAL BACKER THICKNESS

1" ACOUSTICAL BACKER (2" AVAILABLE)

LINEAR DIRECT ATTACH CLIP
SCREWED TO FURRING

3/4" TRIM FASTENED W/
FINISH NAIL AND PUTTIED
IN FIELD BY OTHER

TYP. WALL SYSTEM
(BY OTHER)

BLACK FELT
FILLER STRIPS

2

1 VERTICAL WALL PLAN @ TRIM

3" = 1'-0"

LINEAR DIRECT ATTACH CLIP
SCREWED TO FURRING


3/4" TRIM FASTENED W/
FINISH NAIL AND PUTTIED
IN FIELD BY OTHER

FURRING (BY OTHER) TO MATCH
ACOUSTICAL BACKER THICKNESS


BLACK FELT FILLER STRIPS

2 VERTICAL WALL ELEVATION @ TRIM


3" = 1'-0"



1 LIGHT SWITCH DETAIL - ELEVATION
3" = 1'-0"




2 LIGHT SWITCH DETAIL - SECTION
3" = 1'-0"




1 OUTLET DETAIL - ELEVATION

3" = 1'-0"




2 OUTLET DETAIL - SECTION


3" = 1'-0"




1 BASEBOARD DETAIL - ELEVATION
3" = 1'-0"




2 BASEBOARD DETAIL - SECTION
3" = 1'-0"




1 VERTICAL PLANK INSIDE CORNER PLAN
3" = 1'-0"



2 VERTICAL PLANK OUTSIDE CORNER PLAN
3" = 1'-0"




3 SECTION (WDOCT)
1' = 1'-0"




1 WALL-TO-CEILING TRANSITION (OPTION 1)

3" = 1'-0"




2 WALL-TO-CEILING TRANSITION (OPTION 2)

3" = 1'-0"




1 HORIZONTAL WALL-TO-VAULTED CEILING

3" = 1'-0"




2 VERTICAL WALL-TO-VAULTED CEILING

3" = 1'-0"




1 HORIZONTAL VAULTED CEILING RETURN

3" = 1'-0"



2 VERTICAL VAULTED CEILING RETURN


3" = 1'-0"



1

HORIZONTAL VAULTED CEILING PEAK


3" = 1'-0"




2

VERTICAL VAULTED CEILING PEAK

3" = 1'-0"



1 HORIZONTAL VAULTED CEILING PEAK - LAP JOINT
3" = 1'-0"



2 VERTICAL VAULTED CEILING PEAK - LAP JOINT
3" = 1'-0"